

---

Printed by EAST

---

**UserID:** ASarkar

**Computer:** WS12497

**Date:** 03/14/2001

**Time:** 14:01

## Document Listing

| Document        | Image pages | Text pages | Error pages |
|-----------------|-------------|------------|-------------|
| JP 2000123975 A | 0           | 2          | 0           |
| Total           | 0           | 2          | 0           |

DWPI

DERWENT-ACC-NO: 2000-372287

DERWENT-WEEK: 200032

COPYRIGHT 1999 DERWENT INFORMATION LTD

TITLE: Active matrix type organic electroluminescent display device, has organic luminescent layers of different colors formed over thin film transistors, by patterning luminescent material for every pixel

PATENT-ASSIGNEE: SEIKO EPSON CORP[SHIH]

PRIORITY-DATA: 1996JP-0158671 (June 19, 1996) , 1999JP-0323845 (June 19, 1996)

PATENT-FAMILY:

| PUB-NO        | PUB-DATE       | LANGUAGE | PAGES |
|---------------|----------------|----------|-------|
| MAIN-IPC      |                |          |       |
| JP 2000123975 | April 28, 2000 | N/A      | 005   |
| 033/14        |                |          | H05B  |

A

APPLICATION-DATA:

| PUB-NO        | APPL-DESCRIPTOR | APPL-NO        | APPL-DATE |
|---------------|-----------------|----------------|-----------|
| JP2000123975A | Div ex          | 1996JP-0158671 | June 19,  |
| 1996          |                 |                |           |
| JP2000123975A | N/A             | 1999JP-0323845 | June 19,  |
| 1996          |                 |                |           |

INT-CL (IPC): B41J002/01; G09F009/30 ; H05B033/12 ; H05B033/14 ; H05B033/22

RELATED-ACC-NO: 1998-136257

ABSTRACTED-PUB-NO: JP2000123975A

BASIC-ABSTRACT: NOVELTY - Transparent pixel electrode (103) and hole injection layer (104) are formed over thin film transistors (102) arranged on a glass substrate (101), for every pixel. Organic luminescent layers (106-108) of different colors, are formed over the thin film transistors, by patterning the luminescent material for every pixel, with an inkjet system.

USE - In active matrix type organic electroluminescent (EL) display device using TFT.

ADVANTAGE - Enables to manufacture highly efficient large full color display device, by simple patterning of luminescent material with inkjet system.

DESCRIPTION OF DRAWING(S) - The figure shows the processes involved in organic EL display device manufacture.

Glass substrate 101

Thin film transistor 102

Pixel electrode 103

Hole injection layer 104

Organic luminescent layers 106-108

CHOSEN-DRAWING: Dwg.1/3

DERWENT-CLASS: P75 P85 X26

EPI-CODES: X26-J;

TIX:

Active matrix type organic electroluminescent display device, has organic luminescent layers of different colors formed over thin film transistors, by patterning luminescent material for every pixel

ABTX:

NOVELTY - Transparent pixel electrode (103) and hole injection layer (104) are formed over thin film transistors (102) arranged on a glass substrate (101), for every pixel. Organic luminescent layers (106-108) of different colors, are formed over the thin film transistors, by patterning the luminescent material for every pixel, with an inkjet system.

ABTX:

USE - In active matrix type organic electroluminescent (EL) display device using TFT.

ABTX:

ADVANTAGE - Enables to manufacture highly efficient large full color display device, by simple patterning of luminescent material with inkjet system.

ABTX:

DESCRIPTION OF DRAWING(S) - The figure shows the processes involved in organic EL display device manufacture.

ABTX:

Thin film transistor 102

TTX:

ACTIVE MATRIX TYPE ORGANIC ELECTROLUMINESCENT DISPLAY DEVICE ORGANIC LUMINESCENT LAYER FORMING THIN FILM TRANSISTOR PATTERN LUMINESCENT MATERIAL PIXEL